



ELSEVIER

Applied Numerical Mathematics 34 (2000) 421–422



APPLIED
NUMERICAL
MATHEMATICS

www.elsevier.nl/locate/apnum

Author Index—Volume 34 (2000)

(The issue number is given in front of page numbers)

- Ainsworth, M. and D. Kay**, Approximation theory for the *hp*-version finite element method and application to the non-linear Laplacian (4) 329–344
- Arnold, M. and B. Simeon**, Pantograph and catenary dynamics: A benchmark problem and its numerical solution (4) 345–362
- Beghdadi, D.**, Second degree semi-classical forms of class $s = 1$. The symmetric case (1) 1–11
- Bertoluzza, S., C. Canuto and K. Urban**, On the adaptive computation of integrals of wavelets (1) 13–38
- Boglaev, I.**, Domain decomposition in boundary layers for singularly perturbed problems (2–3) 145–166
- Brandts, J.H.**, Superconvergence for triangular order $k = 1$ Raviart–Thomas mixed finite elements and for triangular standard quadratic finite element methods (1) 39–58
- Butcher, J.C. and T.M.H. Chan**, Multi-step zero approximations for stepsize control (2–3) 167–177
- Butcher, J.C. and D.J.L. Chen**, A new type of singly-implicit Runge–Kutta method (2–3) 179–188
- Butcher, J.C. and A.D. Singh**, The choice of parameters in parallel general linear methods for stiff problems (1) 59–84
- Canuto, C.**, see **Bertoluzza, S.** (1) 13–38
- Capuzzo-Dolcetta, R. and R. Di Lisio**, A criterion for the choice of the interpolation kernel in smoothed particle hydrodynamics (4) 363–371
- Chan, R.P.K. and A. Murua**, Extrapolation of symplectic methods for Hamiltonian problems (2–3) 189–205
- Chan, T.M.H.**, see **Butcher, J.C.** (2–3) 167–177
- Chen, D.J.L.**, see **Butcher, J.C.** (2–3) 179–188
- Chen, G.**, see **Xiao, A.** (4) 405–420
- Chung, K.C., G.A. Evans and J.R. Webster**, A method to generate generalized quadrature rules for oscillatory integrals (1) 85–93
- Daripa, P.**, The fastest smooth Taylor bubble (4) 373–379
- Di Lisio, R.**, see **Capuzzo-Dolcetta, R.** (4) 363–371
- Evans, G.A.**, see **Chung, K.C.** (1) 85–93
- Fairlie, R.**, A numerical study of loading on plate structures due to transient compressible flows (4) 381–403
- Fu, H.**, see **Xiao, A.** (4) 405–420
- Goeken, D. and O. Johnson**, Runge–Kutta with higher order derivative approximations (2–3) 207–218
- Gunzburger, M.**, see **Manservigi, S.** (1) 99–126
- Harris, F.E.**, Spherical Bessel expansions of sine, cosine, and exponential integrals (1) 95–98

- Jackiewicz, Z. and R.A. Renaut**, Diagonally implicit multistage integration methods for pseudospectral solutions of the wave equation (2–3) 219–229
- Johnson, O.**, see **Goeken, D.** (2–3) 207–218
- Kay, D.**, see **Ainsworth, M.** (4) 329–344
- Koch, O., P. Kofler and E.B. Weinmüller**, The implicit Euler method for the numerical solution of singular initial value problems (2–3) 231–252
- Kofler, P.**, see **Koch, O.** (2–3) 231–252
- Li, S.**, see **Xiao, A.** (4) 405–420
- Manservigi, S. and M. Gunzburger**, A variational inequality formulation of an inverse elasticity problem (1) 99–126
- McLachlan, R.I. and G.R.W. Quispel**, Numerical integrators that contract volume (2–3) 253–260
- Murua, A.**, see **Chan, R.P.K.** (2–3) 189–205
- Pruess, S.**, Qualitatively correct Sturm–Liouville eigenfunctions (1) 127–141
- Quispel, G.R.W.**, see **McLachlan, R.I.** (2–3) 253–260
- Renaut, R.A.**, see **Jackiewicz, Z.** (2–3) 219–229
- Sharp, P.W. and J.H. Verner**, Extended explicit Bel'tyukov pairs of orders 4 and 5 for Volterra integral equations of the second kind (2–3) 261–274
- Simeon, B.**, see **Arnold, M.** (4) 345–362
- Singh, A.D.**, see **Butcher, J.C.** (1) 59–84
- Trummer, M.R.**, Spectral methods in computing invariant tori (2–3) 275–292
- Urban, K.**, see **Bertoluzza, S.** (1) 13–38
- Van den Heuvel, G.**, New stability results for Runge–Kutta methods adapted to delay differential equations (2–3) 293–308
- Verner, J.H.**, see **Sharp, P.W.** (2–3) 261–274
- Webster, J.R.**, see **Chung, K.C.** (1) 85–93
- Weinmüller, E.B.**, see **Koch, O.** (2–3) 231–252
- Xiao, A., H. Fu, S. Li and G. Chen**, Regularity properties of general linear methods for initial value problems of ordinary differential equations (4) 405–420
- Zubik-Kowal, B.**, Chebyshev pseudo-spectral method and waveform relaxation for differential and differential-functional parabolic equations (2–3) 309–328

